

ENOBENT® STANDARD Activated bentonite in powder

Description

The sodium-activated bentonites in powder form, **Enobent® Standard**, has the following characteristics:

- highly deproteinising
- easily dispersed
- low inert matter content
- deposit volumes reduced to a minimum
- the smell and taste of the wine are not affected

The high quality of the bentonites used ensures complete deproteinising and protein stability.

Enobent® Standard can be used in all types of musts and wine.

Instructions for use

1. Disperse **Enobent® Standard** in cold water (1:10 ratio) by shaking vigorously until a homogeneous suspension is obtained.
2. Allow the solution (gel) to stand for a few hours (from a minimum of 6 to 12 hours, approx.)
3. Mix again and add to the product to be treated

Dosage

Enobent® Standard: from 40 to 120 g/hl

Packaging

Supplied in 25 kg paper bags.

| | | Enobent® Standard |
|---|------------|------------------------------|
| Chemical-physical characteristics (typical value): | | |
| Swelling | [ml/2g] | 25-27 |
| Moisture | [%] | 8-12 |
| Dry residue on 75 µm | [%] | max 5 |
| Deproteinising strength (Codex method) | [%] | 65 |
| | | Enobent® Standard |
| Chemical analysis (typical) [%] | | |
| SiO ₂ | | 73,0 |
| Al ₂ O ₃ | | 13,5 |
| TiO ₂ | | 0,2 |
| Fe ₂ O ₃ | | 1,9 |
| P ₂ O ₅ | | 0,04 |
| MnO | | 0,03 |
| MgO | | 2,5 |
| CaO | | 1,1 |
| K ₂ O | | 0,6 |
| Na ₂ O | | 1,9 |
| Calcination loss | | 5,3 |
| Soluble metals (International Oenological Codex): | | |
| Lead | [ppm] | 5,0 max |
| Iron | [ppm] | 600 max |
| Arsenic | [ppm] | 2,0 max |
| Sodium | [%] | 3,5 max |
| Calcium and magnesium | [meq/100g] | 100 max |
| Other heavy metals | [ppm] | 10 max |

Rev06 October 2022

PRODUCTS FOR USE IN OENOLOGY

Laviosa Chimica Mineraria Spa products undergo continuous testing to ensure their purity and quality in accordance with the laws of Italy (DM 26 April 1969 – Substances for use in oenology) and the EU (REG.UE 2019/934), and international laws (International Oenological Codex)

Information given in this bulletin is based on the state of our knowledge at the date of publication and are believed to be accurate, but do not constitute any engagement or warranty from our part. Buyers and users should make their own assessments under their own conditions and for their own requirements. Information may be changed without any notice. For mandatory characteristics and performance please refer to our Sale Specifications.

