

Technical Data Sheet

additives@laviosa.com

Performance Additives

Animal feed

GLOBALFEED AR

Selected bentonites as additives in animal feed (1m558i)

Properties and characteristics

GLOBALFEED AR is made of an extremely pure bentonite, with good performances concerning mycotoxin adsorption.

GLOBALFEED AR is a fine powder, not hygroscopic, extremely fluent.

	GLOBALFEED AR				
Physical and Chemical characteristics (typical values):					
Definition	Additive belonging to the functional groups of binding agents and anti-caking				
Montmorillonite	[%] 90-97				
Moisture	[%]	10-12			
Cation exchange capacity	[meq/100g]	60-80			
Dry residue on 75 micron	[%]	max 15			
Lead content (directive 2005/87/CE)	[ppm]	max 30			
Cadmium content (directive 2005/87/CE)	[ppm]	max 2			
Dioxines content (directive 2006/13/CE)	[ng WHO PCDD/F-TEQ/kg]	max 0,75			
Dioxines content and PCB (directive 2006/13/CE)	[ng WHO PCDD/F-PCB-TEQ/kg]	max 1,5			
Chemical analysis (typical):	[%]				
Na ₂ O	0,15				
MgO	1.74				
Al_2O_3	14,00				
SiO ₂	74,00				
P ₂ O ₅	0,04				
K ₂ O	0,84				
CaO	1,25				
TiO ₂	0,29				
MnO	0,01				
Fe ₂ O ₃	1,97				
LOI	5,3				













Analysis on the mycotoxins adsorbing capacity



Test conditions:

ISTITUTO DI SCIENZE DELLE PRODUZIONI ALIMENTARI AFB1 adsorption – \square pH 7- adsorbent dose = 0.02%



□ pn 7- ausorbern dose = 0.001% Toxin concentration = 1 μg/mL

FB1 adsorption - ■ pH 7 adsorbent dose 0,1%

■ pH 3 adsorbent dose 0,001% Toxin concentration = 1 µg/mL















Test conditions:

pH 7-Afla B1 concentration= 1 μg/mL

pH 7-Afla B1 concentration= 5 μg/mL

Bentonite concentration 0,001%



Test conditions: pH 3-Aflatoxin B1 concentration= 1 μg/mL
Bentonite concentration 0,001%












For GLOBALFEED AR has also been run an isothermal analysis to find the maximum adsorption capacity.



GLOBALFEED AR in the hydrated form has an elevated specific surface, about 800 m²/gr. This characteristic together with colloidal properties provide high adsorption behaviour and Aflatoxin control.





Recommended dose

RECOMMENDED DOSAGE		Preventive	Existing contamination
Ruminants	[g/animal/day]	12-50	50-100
Others	[Kg / feed ton]	0.5-2	2-4

Packaging

Product packaged in 25 kg paper bags (1250 kg pallets), 1000 kg big bags, in bulk.

Storage and Shelf Life

Product must be stocked in a dry and clean place.

Shelf life is 5 years from production date.

Rev11 August 2022

Information given in this bulletin is based on the state of our knowledge at the date of publication and are believed to be accurate, but do not constitute any engagement or warranty from our part. Buyers and users should make their own assessments under their own conditions and for their own requirements. Information may be changed without any notice. For mandatory characteristics and performance please refer to our Sale Specifications.







